


1/33




1-(Propoxymethyl)- maleimide

MIRA-1

Fig. 1A

2/33



2,2-bis(hydroxymethyl)-1-azabicyclo[2,2,2]octan-3-one

PRIMA-1

Fig. 1B

3/33




Fig. 2A

4/33




Fig. 2A  
CONTINUATION

5/33




Fig. 2B

6/33




Fig. 2B  
 CONTINUATION

7/33

# Saos-2-His-273 (dox +)




Fig. 2C

8/33

## Sa05-2-His-273




Fig. 2C  
CONTINUATION



9/33




Fig. 2D

10/33




Fig. 2D  
 CONTINUATION

11/33




Fig. 3A

12/33




Fig. 3B

13/33




Fig. 3C

14/33




Fig. 3C  
CONTINUATION

15/33




Fig. 4A

16/33




Fig. 4A  
CONTINUATION



17/33




Fig. 4A  
CONTINUATION

18/33

GST-wtp53

PAb 240





Fig. 4B

19/33

GST-mtp53-175

PAb 240



means ± SE

Fig. 4B  
CONTINUATION

% of PAb 240 epitope remaining  
after heating at 37°C for 30 min

20/33




Fig. 4C

21/33




Fig. 4C  
CONTINUATION

22/33




Fig. 5

23/33




Fig. 6A

24/33




Fig. 6B



25/33




Fig. 7

26/33





Fig. 8


27/33

A


lacZ



MIRA-1, 5 $\mu$ M 12h




PRIMA-1, 50 $\mu$ M 20h



untreated

Fig. 9A

28/33



29/33






Fig. 9C

30/33

A



B



C




Fig.10

31/33




Fig. 11

32/33

# MIRA-1




Fig. 12A



33/33

# PRIMA-1




Fig. 12B